

**ORGANISMO NOTIFICATO n° 1372**

*Sede legale:* Via C. Pizzorno, 12 - 28078 ROMAGNANO SESIA (NO) *Sede operativa:* Statale Valsesia, 20 - 13035 LENTA (VC)

**CERTIFICATE OF CONSTANCY OF PERFORMANCE**  
**1372-CPR-2454**

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Description: **Masonry cement**

Trade name: **MURACEM MC 12,5**

placed on the market under the name:

Ragione sociale: **HEIDELBERG MATERIALS ITALIA CEMENTI S.P.A.**

Sede Legale: **Via Lombardia, 2/A – 20068 PESCHIERA BORROMEO (MI)**

and produced in the manufacturing plant:

address: **Via Vittorio Emanuele, 419 - 24033 CALUSCO D'ADDA (BG) ITA**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard:

**EN 413-1:2011**

under system 1+ for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

This certificate was first issued on 15/03/2017 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body (Tecno Piemonte S.p.A.).

Current issue: Lenta, 23/12/2025

Revision 4

Technical Director  
Dot. Ing. Raffaella Arrigoni  


**ORGANISMO NOTIFICATO n° 1372**

*Sede legale:* Via C. Pizzorno, 12 - 28078 ROMAGNANO SESIA (NO) *Sede operativa:* Statale Valsesia, 20 - 13035 LENTA (VC)

**CERTIFICATE OF CONSTANCY OF PERFORMANCE  
1372-CPR-2454**

In accordance with the EN 197-1:2011 standard, control tests were carried out to evaluate the performance of the product with the Evaluation and Verification of Constancy of Performance System 1+, excluding the composition, obtaining the performances reported below:

Requirement from the Mandate	Clauses EN 413-1: 2011	Result obtained
Compressive strength (early and standard)	5.3.6	Pass
Setting time	5.3.2, 5.3.3	Pass
Fineness (sieve residue)	5.3.1	Pass
Soundness	5.3.4	Pass
Air content of fresh mortar	5.3.5	Pass
Water retention of fresh mortar	5.3.5	Pass
Chloride content	5.4	Pass
Sulfate content (as SO <sub>3</sub> )	5.4	Pass
Constituents and Composition	5.2	MC 12,5 Pass

The outcome reported above must be confirmed by the results of the inspection tests carried out periodically on samples taken in the factory by the Notified Product Certification Body (Tecno Piemonte S.p.A.), excluding the composition evaluated on the data declared by the manufacturer.



## Declaration of Performance N° 1372-CPR-2454

- Unique identification code of the product-type: **Masonry cement EN 413-1 MC 12,5 R**
- Intended uses: **Preparation of mortar for bricklaying and blocklaying and rendering and plastering.**
- Manufacturer: **HEIDELBERG MATERIALS ITALIA CEMENTI S.P.A. Via Lombardia 2/A, 20068 Peschiera Borromeo (Milano), Italia - Calusco D'Adda plant**
- System of AVCP: **1+**
- Harmonised standard: **EN 413-1:2011**
- Notified body: **TECNOPIEMONTE, notified certification body N° 1372**
- Declared performances:

Essential Characteristics	Performances
<i>Compositions</i>	<i>Pass</i>
<i>Compressive strength (standard and early)</i>	<i>12.5</i>
<i>Setting Time</i>	<i>Pass</i>
<i>Fineness (sieve residue)</i>	<i>Pass</i>
<i>Soundness: Expansion</i>	<i>Pass</i>
<i>SO3 content</i>	<i>Pass</i>
<i>Air content of fresh mortar</i>	<i>Pass</i>
<i>Water retention of fresh mortar</i>	<i>Pass</i>
<i>Chloride content</i>	<i>Pass</i>

*Additional Information: --*

The performance of the product identified above is in conformity with the set of declared performance/s.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Technical Manager